

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5638418").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 15:15
L2	0	l1 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 15:16
L3	1	l1 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 15:57
L4	2	("4099238").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 15:59
L5	3	("4427943").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 15:59
L6	3	("4327416").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:01
L7	2	("4639670").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:02
L8	4	((("5980472") or ("6229300")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:03

L9	0	((99/54685) or (97/29682)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:04
L10	6	((("9954685") or ("9729682"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:05
L11	2	("0375132").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:05
L12	0	("ep375132").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:16
L13	9	((("5558091") or ("5391199") or ("5443489") or ("5201387") or ("6203493"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 16:17
S1	1356	(600/549).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 08:28
S2	974	S1 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:29
S3	622	S2 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:30

S4	549	S2 and locat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:30
S5	408	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 08:31
S6	163	S3 and voltage and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:07
S7	115	S1 and implant\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:03
S8	85	S7 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:21
S9	1356	(600/549).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:21
S10	974	S9 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:24
S11	622	S10 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:21

S12	163	S11 and voltage and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:21
S13	163	S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 12:29
S14	22	S10 and (position near sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 11:31
S15	10	S10 and (voltage near measur\$5) and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 12:30
S16	2	("5558091").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 13:22

S17	238	("3847157" "3872858" "4054881" "4173228" "4223228" "4317078" "4328548" "4375818" "4396885" "4422041" "4431005" "4494549" "4572198" "4613866" "4642796" "4652820" "4661773" "4697595" "4710708" "4829250" "4831330" "4849692" "4880011" "4905698" "4932411" "4936307" "4945305" "4945914" "4951677" "4960106" "4989608" "4993404" "4998282" "5005592" "5020539" "5042486" "5047715" "5054491" "5070462" "5073858" "5078714" "5099845" "5109194" "5168222" "5170789" "5172056" "5186174" "5206589" "5211165" "5218174" "5251635" "5253647" "5255680" "5257636" "5265610" "5271400" "5273025" "5285785" "5285787" "5309913" "5316024" "5318025" "5325873" "5353795" "5383454" "5391199" "5425367" "5425382" "5429132" "5434500").PN. OR ("5558091").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/23 13:23
S19	1679	S18 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:24
S20	1356	(600/549).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:41
S21	974	S20 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 15:41
S22	30	S21 and ablation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:07

S23	1	S22 and (voltage near measur\$5) and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:07
S24	42	S21 and (voltage near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:09
S25	7	S24 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:07
S26	30	S21 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:10
S27	1	S26 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:10
S28	2314	(606/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:35
S29	1392	S28 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:36
S30	985	S29 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:36

S31	375	S29 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:52
S32	95	S31 and (voltage near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:52
S33	27	S31 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:53
S34	6	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:53
S35	102	((("5611606") or ("4924593") or ("5202692") or ("5411340") or ("5703449") or ("5912096") or ("5914660") or ("5950782") or ("6178947") or ("4359677") or ("4805049") or ("4859869") or ("4876550") or ("5236485") or ("5237123") or ("5295076") or ("5365827") or ("5422829") or ("5482314") or ("5645065") or ("5762610") or ("5769452") or ("5778810") or ("5880683") or ("5890384") or ("5920171") or ("6023995") or ("6132391") or ("4283138") or ("4320490") or ("4348277") or ("4363042") or ("4384339") or ("4410091") or ("4455035") or ("4466088") or ("4467831") or ("4467646") or ("4470122") or ("4535847") or ("4544241") or ("4556835") or ("4560925") or ("4564757") or ("4565999") or ("4578138") or ("4579038") or ("4581924") or ("4587579") or ("4606486").pn.))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:33

S36	3	("6511478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:34
S37	1	S36 and position\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:21
S38	1	S36 and position\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:37
S39	2	("6440129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 09:35
S40	1	S39 and position\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:40
S41	1	S36 and (locat\$3 near sensor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:38
S42	1	S36 and (locat\$3 with sensor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:38
S43	1	S39 and (position\$3 same sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:40

S44	1	S39 and (locat\$3 same sensor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:00
S45	8	("1266610").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 10:06
S46	2	("6162184").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 11:19
S47	165	(606/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 12:01
S48	11	("3949736" "4245643" "5203344" "5341807" "5469857" "5673704" "5836990" "5954715" "6309384" "6391024" "6569160").PN. OR ("6780182"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 14:59
S49	365	((607/21) or (607/28)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:56
S50	2	("5836990").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:57
S51	1	S50 AND (VOLTAGE NEAR MEASUR\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:59

S52	0	S50 AND (resistance NEAR MEASUR\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:57
S53	0	S50 AND (temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:58
S54	103	S49 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:59
S55	88	S54 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:01
S56	144	S47 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:13
S57	135	S56 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:02
S58	67	S56 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:11
S59	7512258	position sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:08

S60	86954	"position sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:10
S61	2494	S60 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:11
S62	1447	S61 and (medical or diagnos\$3 or body)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 12:12
S63	797	S62 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:46
S64	2	("6569160").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:21
S65	1	S64 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:21
S66	1	S64 and (voltage near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:22
S67	0	S64 and (resistancee near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:22

S68	0	S64 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:22
S69	23	(US-20010001819-\$ or US-20020087151-\$ or US-20020107511-\$ or US-20020111617-\$ or US-20020147444-\$ or US-20020151885-\$ or US-20030097149-\$ or US-20020128643-\$ or US-20020120260-\$).did. or (US-4669475-\$ or US-5078137-\$ or US-5167235-\$ or US-5370121-\$ or US-5588438-\$ or US-5755670-\$ or US-5817003-\$ or US-5857976-\$ or US-6126595-\$ or US-6511478-\$ or US-6569160-\$ or US-5836990-\$ or US-6782291-\$ or US-6181968-\$). did.	US-PGPUB; USPAT	OR	ON	2005/08/24 13:24
S70	9	S69 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:24
S71	12	S69 and (voltage near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:24
S72	8	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:26
S73	8	S72 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:26
S74	7	S72 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:38

S75	2	("5254088").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:39
S76	0	S75 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:39
S77	0	S75 and detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:39
S78	0	S75 and signal43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:39
S79	0	S75 and signal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:39
S80	797	S63 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 13:47
S81	797	S63 and (temperature with measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:28
S82	9	"6511478"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:29

S83	3	("6511478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 14:29
S84	0	S83 and "position sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:30
S85	1	S83 and "position "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:30
S86	7	S48 and position	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 16:00
S87	2	("6569160").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:01
S88	1	S87 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:02
S89	1	S87 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:04
S90	1	S87 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:04
S91	2	("6569160").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 17:38

S92	1	S91 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 17:39
S93	1	S92 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 17:39
S94	1	S93 and (impedance or resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 17:39
S95	46	("4532924" "4605897" "4682596" "4771237" "4852580" "4945912" "4966597" "5078714" "5274328" "5282840" "5341807" "5409000" "5419767" "5447529" "5454809" "5469857" "5494042" "5546951" "5553611" "5562721" "5577509" "5598848" "5626576" "5629621" "5644229" "5662108" "5673704" "5718241" "5722402" "5738096" "5749914" "5792185" "5833621" "5836874" "5836875" "5836990" "5891095" "5899860" "5916158" "5935079" "5944022" "6064905" "6183468" "6241724" "6264653").PN. OR ("6569160").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 17:48
S96	24	S95 and temperature	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 17:57
S97	17	S96 and voltage	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 18:28
S98	12	S97 and (resistance or impedance)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/25 17:58

S99	23	(US-20010001819-\$ or US-20020087151-\$ or US-20020107511-\$ or US-20020111617-\$ or US-20020147444-\$ or US-20020151885-\$ or US-20030097149-\$ or US-20020128643-\$ or US-20020120260-\$).did. or (US-4669475-\$ or US-5078137-\$ or US-5167235-\$ or US-5370121-\$ or US-5588438-\$ or US-5755670-\$ or US-5817003-\$ or US-5857976-\$ or US-6126595-\$ or US-6511478-\$ or US-6569160-\$ or US-5836990-\$ or US-6782291-\$ or US-6181968-\$). did.	US-PGPUB; USPAT	OR	ON	2005/08/26 09:02
S100	9	S99 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:02
S101	2323	(606/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:04
S102	1392	S101 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:04
S103	375	S102 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:04
S104	27	S103 and (resistance near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:04
S105	1392	S101 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:52

S10 6	2	("6162184").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 11:19
S10 7	0	S106 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:20
S10 8	0	S106 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:20
S10 9	0	S106 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:20
S11 0	3	("6511478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 11:21
S11 1	1	S110 and position\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:21
S11 2	1	S111 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:21
S11 3	1	S112 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:21

S11 4	1	S112 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:22
S11 5	2	("6440129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 11:23
S11 6	0	S115 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:23
S11 7	1	S115 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:25
S11 8	2	("20020128643").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 11:25
S11 9	0	S118 and resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:25
S12 0	1	S118 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:27
S12 1	803	resistance near drift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:27

S12 2	56	S121 and (temperature near measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:27
S12 3	29	S122 and @ad<"20010615"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 15:15